



Gardening LED Lighting

12 VOLT LED WATERPROOF SPOTLIGHTS



Authorized Distributor



2014-2015 GARDENING LED LIGHTING CATALOGUE




Gardening LED Lighting

12 VOLT LED WATERPROOF SPOTLIGHTS

www.sunlux.com.my

APPROVALS

Our factory is long term adhering to the purpose of “quality product is the best way to repay customers”. Through the third party laboratory accreditation, our products received CE, GS, BS, SAA, LVD, EMC approval, and reach the standard of IP68, REACH, ROHS and other international certifications.



SUNLUX
Brighten Your Life

CONTENTS

12 VOLT GARDEN LED LIGHTING SYSTEM	1
12 VOLT POND AND LANDSCAPE LED LIGHT KITS	2
12 VOLT WATERPROOF LED SPOTLIGHTS	3-5
12 VOLT WATERPROOF SINGLE COLOR LED WALL WASHERS	6
12 VOLT AUTO-CHANGING COLOR WATERPROOF LED WALL WASHERS	7-8
12 VOLT AUTO-CHANGING COLOR WATERPROOF LED LIGHTING	
12 VOLT REMOTE CONTROLLER WATERPROOF LED LIGHTING	9-10
12 VOLT REMOTE CONTROLLER WATERPROOF LED WALL WASHERS	
12 VOLT WATERPROOF LED UNDERGROUND LIGHTS	11
12 VOLT WATERPROOF OUTDOOR LED LAWN LIGHTING	12
WATERPROOF CORD ASSEMBLED	13
12 VOLT LED EXCHANGEABLE BULBS	14
ASSEMBLY DIAGRAM	15-16


Gardening LED Lighting


SUNLUX
Brighten Your Life

12 Volt Garden LED Lighting System WATERPROOF LED LIGHTING

Garden LED lighting system creates a beautiful nighttime focal point in any water garden or traditional landscape. Illuminate the pond above and below the surface, highlight the surface of a bubbling stream and light the trees and landscape surrounding the water feature.

- LED's saves 85-90% electrical cost compared to halogen lights
- Replaceable light bulbs are available in white, red, blue, green,
- With AC 12 volt, spotlight adopts safety voltage design and will not do harm to people as well as animals
- All LED light fixtures are easily install LED using quick connect plugs
- Can be used in both submerged and non-submerged applications
- Attractive architectural bronze fixture and designed to last for years






12 VOLT POND AND LANDSCAPE LED LIGHT KITS

CE ROHS IP68 REACH

POLYPROPYLENE



3 Units



12 VOLT POND AND LANDSCAPE LED LIGHT KITS

Pond and landscape underground light kit includes everything needed to create a beautiful nighttime focal point in any water garden or traditional landscape. The small compact design allows for installation in even the tightest spots.

- Bulbs are available in white, red, blue, green, amber
- Underground sleeve can be protected the lights from concrete corrosion
- Fixtures can be divided to professional-grade bronze metal anti-corrosion PP
- Pre-wired for simple installation
- Can be used in or out of water
- Will not overheat when being used out of water
- Come with stand and soil spike




1-WATT POND AND LANDSCAPE LED LIGHT KIT



KM0907W-3

Measures: $\phi 30 \times 70 \text{mm}$
Input Power: AC 12V
Working Power: 3X1 Watt
Waterproof Grade: IP68
Light Cable: VDE/H05RN-F (2x1.0mm²) 7M
LED Brand Name: Canyuan/ Purui
Color Temperature: Warm White (3000k)
Lumen: 3X45Lm (Warm White)
Beam Angle: 45°
Temperature Of Work Place: -15°C~+60°C
Life Span: 20000 Hours
LED Exchangeable Bulb: # KMA096SW

3x1 Watt




4-WATT POND AND LANDSCAPE LED LIGHT KIT



KM0909W-3

Measures: $\phi 54 \times 88 \text{mm}$
Input Power: AC 12V
Working Power: 3x4 Watt
Waterproof Grade: IP68
Light Cable: VDE/H05RN-F (2x1.0mm²) 7M
LED Brand Name: Canyuan/ Purui
Color Temperature: Warm White (3000k)
Lumen: 3x250Lm (Warm White)
Beam Angle: 60°
Temperature Of Work Place: -15°C~+60°C
Life Span: 20000 Hours
LED Exchangeable Bulb: # KMA094SW


3x4 Watt




12 VOLT LED WATERPROOF SPOTLIGHTS

Waterproof LED spotlights' compact size and powerful output makes it an extremely versatile fixture. With high seal ability, spotlight is reached the level of IP68 and ideal for larger plants, trees or waterfalls and can be used fully submersed or outside of the water.


- Replaceable light bulbs are available in white, red, blue, green,
- With AC 12 volt constant current, spotlight adopts safety voltage design and will not do harm to people as well as animals
- All LED light fixtures are easily install LED using quick connect plugs
- Fixtures can be divided to professional-grade bronze metal and anti-corrosion PP
- The small compact design allows for installation in even the tightest spots
- Each fixture includes two different mounting platforms: adjustable stand and stake



CE **ROHS IP68 REACH**



12 VOLT WATERPROOF LED SPOTLIGHTS



1-WATT 12 VOLT LED WATERPROOF SPOTLIGHT

1 Watt



KM0907W

Measures: $\phi 30 \times 70 \text{mm}$
Input Power: AC 12V
Working Power: 1 Watt
Waterproof Grade: IP68
Light Cable: VDE/H05RN-F (2x1.0mm²) 3.5M
LED Brand Name: Canyuan/ Purui
Color Temperature: Warm White (3000k)
Lumen: 45Lm (Warm White)
Beam Angle: 45°
Temperature Of Work Place: -15°C ~ +60°C
Life Span: 20000 Hours
LED Exchangeable Bulb: # KMA096SW




1-WATT 12 VOLT LED WATERPROOF SPOTLIGHT

1 Watt



KM011WB

Measures: $\phi 30 \times 90 \text{mm}$
Input Power: AC 12V
Working Power: 1 Watt
Waterproof Grade: IP68
Light Cable: VDE/H05RN-F (2x1.0mm²) 3.5M
LED Brand Name: Canyuan/ Purui
Color Temperature: Warm White (3000k)
Lumen: 45Lm (Warm White)
Beam Angle: 45°
Temperature Of Work Place: -15°C ~ +80°C
Life Span: 30000 Hours
LED Exchangeable Bulb: # KMA095SW



POLYPROPYLENE


4-WATT 12 VOLT LED WATERPROOF SPOTLIGHT

4 Watt



KM0909W

Measures: $\phi 54 \times 88 \text{mm}$
Input Power: AC 12V
Working Power: 4 Watt
Waterproof Grade: IP68
Light Cable: VDE/H05RN-F (2x1.0mm²) 3.5M
LED Brand Name: Canyuan/ Purui
Color Temperature: Warm White (3000k)
Lumen: 250Lm (Warm White)
Beam Angle: 60°
Temperature Of Work Place: -15°C ~ +60°C
Life Span: 20000 Hours
LED Exchangeable Bulb: # KMA094SW



BRASS


3-WATT 12 VOLT LED WATERPROOF SPOTLIGHT


3 Watt



KM0904WB

Measures: $\phi 42 \times 95 \text{mm}$
Input Power: AC 12V
Working Power: 3 Watt
Waterproof Grade: IP68
Light Cable: VDE/H05RN-F (2x1.0mm²) 3.5M
LED Brand Name: Canyuan/ Purui
Color Temperature: Warm White (3000k)
Lumen: 120Lm (Warm White)
Beam Angle: 60°
Temperature Of Work Place: -15°C ~ +80°C
Life Span: 30000 Hours
LED Exchangeable Bulb: # KMA097SW





SUNLUX™
Brighten Your Life


12 VOLT AUTO-CHANGING COLOR WATERPROOF LED LIGHTING

CE **ROHS IP68**

Add a new dimension to your pond or landscape by bringing it to life at night. The newest lighting addition is energy-efficient, yet powerful and colorful enough to light beautify a tree.

- Can be shown with different color by itself at a fixed speed.
- Includes quick -connect plugs system
- Can be used in both submerged and non-submerged applications.

**AUTOMATIC
CHANGING
COLOR**



3-WATT 12 VOLT AUTO-CHANGING COLOR WATERPROOF LED LIGHTING


BRASS

**NEW
2014**



#K10002EB-RGB

Measures: $\phi 42 \times 95 \text{mm}$
Input Power: AC 12V
Working Power: 3 Watt
Waterproof Grade: IP68
Controller Length: VDE/H05RN-F (2x1.0mm²) 3M
Light Cable: VDE/H05RN-F (4x0.75mm²) 0.8M
LED Brand Name: Canyuan/ Purui
Color Temperature: R>G>B
Lumen: 120Lm
Beam Angle: 120°
Temperature Of Work Place: -15°C ~ +80°C
Life Span: 20000 Hours



3-WATT 12 VOLT AUTO-CHANGING COLOR WATERPROOF LED UNDERGROUND LIGHTING



#K10003EW-RGB

Measures: $\phi 55 \times 95 \text{mm}$
Input Power: AC 12V
Working Power: 3 Watt
Waterproof Grade: IP68
Controller Length: VDE/H05RN-F (2x1.0mm²) 3M
Light Cable: VDE/H05RN-F (4x0.75mm²) 0.8M
LED Brand Name: Canyuan/ Purui
Color Temperature: R>G>B
Lumen: 120Lm
Beam Angle: 120°
Temperature Of Work Place: -15°C ~ +80°C
Life Span: 20000 Hours

9-WATT 12 VOLT AUTO-CHANGING COLOR WATERPROOF LED LIGHTING



BRASS

**NEW
2014**



#K10004EB-RGB

Measures: $\phi 70 \times 160 \text{mm}$
Input Power: AC 12V
Working Power: 9 Watt
Waterproof Grade: IP68
Controller Length: VDE/H05RN-F (2x1.0mm²) 3M
Light Cable: VDE/H05RN-F (4x0.75mm²) 0.8M
LED Brand Name: Canyuan/ Purui
Color Temperature: R>G>B
Lumen: 200Lm
Beam Angle: 120°
Temperature Of Work Place: -15°C ~ +80°C
Life Span: 20000 Hours
LED Exchangeable Bulb: # KMA031-RGB



18-WATT 12 VOLT AUTO-CHANGING COLOR WATERPROOF LED LIGHTING



BRASS

**NEW
2014**



#K10005EB-RGB

Measures: $\phi 82 \times 160 \text{mm}$
Input Power: AC 12V
Working Power: 18 Watt
Waterproof Grade: IP68
Controller Length: VDE/H05RN-F (2x1.0mm²) 3M
Light Cable: VDE/H05RN-F (4x0.75mm²) 0.8M
LED Brand Name: Canyuan/ Purui
Color Temperature: R>G>B
Lumen: 400Lm
Beam Angle: 120°
Temperature Of Work Place: -15°C ~ +80°C
Life Span: 20000 Hours
LED Exchangeable Bulb: # KMA061-RGB



SUNLUX™
Brighten Your Life

12 VOLT AUTO-CHANGING COLOR WATERPROOF LED WALL WASHERS

IP68


LIFE SPAN
20000h

18-WATT auto-changing color waterproof LED wall washers

Wall washers can be widely used in platform, bridge, external wall, guardrail, swimming pool, pond and other palaces in or outside the water.

CE **ROHS IP68**

- Can be shown with different color by itself at a fixed speed.
- All LED light fixtures are easily install LED using quick connect plugs
- Fixtures can be divided to professional-grade aluminum metal and anti-corrosion PVC
- By importing high power LED chips, LED bulbs combined with optically engineered lenses provide three times more light than traditional LED's
- With good resistance to acid, alkali, and corroded, PVC can be widely used in sea.




R807BPM1

Measures: 1000X43X40mm
Input Power: AC 12V
Working Power: 18 Watt
Waterproof Grade: IP68
Controller Length: VDE/H05RN-F (2x1.0mm²) 3M
Light Cable: VDE/H05RN-F (4X0.75mm²) 0.8M
LED Brand Name: Canyuan/ Purui
Color Temperature: R>G>B
Lumen: 800Lm
Beam Angle: 45°
Temperature Of Work Place: -15°C ~ +80°C
Life Span: 20000 Hours

NEW

PVC

Anti Corrosion
Acid Resistance
Alkali Resistance




12 VOLT REMOTE CONTROLLER WATERPROOF LED LIGHTING

**WIRELESS
REMOTE
CONTROL**

CE **ROHS IP68**



- Can be control LED with different color at a time or a single color by wireless remote controller
- Includes quick-connect plugs system
- For use in or out of the water



Add a new dimension to your pond or landscape by bringing it to life at night. The newest lighting addition is energy-efficient, yet powerful and colorful enough to light beautify a tree or large portion of your water garden.


BRASS

9-WATT 12 VOLT REMOTE CONTROLLER WATERPROOF LED LIGHTINGS

18-WATT 12 VOLT REMOTE CONTROLLER WATERPROOF LED LIGHTINGS


#K1203B-RGB

Measures: φ70X160mm
Input Power: AC 12V
Working Power: 9 Watt
Waterproof Grade: IP68
Controller Length: VDE/H05RN-F (2x1.0mm²) 3M
Light Cable: VDE/H05RN-F (4x0.75mm²) 0.8M
LED Brand Name: Canyuan/ Purui
Color Temperature: R>G>B
Lumen: 200Lm
Beam Angle: 120°
Temperature Of Work Place: -15°C~+80°C
Life Span: 20000 Hours
LED Exchangeable Bulb: # KMA031-RGB




#K1206B-RGB

Measures: φ82X160mm
Input Power: AC 12V
Working Power: 18 Watt
Waterproof Grade: IP68
Controller Length: VDE/H05RN-F (2x1.0mm²) 3M
Light Cable: VDE/H05RN-F (4x0.75mm²) 0.8M
LED Brand Name: Canyuan/ Purui
Color Temperature: R>G>B
Lumen: 400Lm
Beam Angle: 120°
Temperature Of Work Place: -15°C~+80°C
Life Span: 20000 Hours
LED Exchangeable Bulb: # KMA061-RGB



12 VOLT REMOTE CONTROLLER WATERPROOF LED WALL WASHERS

**Anti Corrosion
Acid Resistance
Alkali Resistance**



CE **ROHS IP68**



18-WATT 12 VOLT REMOTE CONTROLLER WATERPROOF LED WALL WASHERS

Wall washers can be widely used in platform, bridge, external wall, guardrail, swimming pool, pond and other palaces in or outside the water.

- Can be control LED with different color at a time or a single color by wireless remote controller
 - Fixtures can be divided to professional-grade aluminum metal and anti-corrosion PVC
 - LED's saves 85-90% electrical cost compared to halogen lights
- With good resistance to acid, alkali, and corroded, PVC can be widely used in sea.

NEW

R807BPH1

Measures: 1000X43X40mm
Input Power: AC 12V
Working Power: 18 Watt
Waterproof Grade: IP68
Controller Length: VDE/H05RN-F (2x1.0mm²) 3M
Light Cable: VDE/H05RN-F (4x0.75mm²) 0.8M
LED Brand Name: Canyuan/ Purui
Color Temperature: R>G>B
Lumen: 800Lm
Beam Angle: 45°
Temperature Of Work Place: -15°C~+80°C
Life Span: 20000 Hours



PVC


Anti Corrosion
Acid Resistance
Alkali Resistance



12 Volt Waterproof LED Underground Lights

Pond and landscape underground light kit includes everything needed to create a beautiful nighttime focal point in any water garden or traditional landscape.

Bulbs are available in white, red, blue, green, amber
Underground sleeve can be protected the lights from concrete corrosion
Fixtures can be divided to professional-grade bronze metal anti-corrosion PP
Can be used in or out of water



CE ROHS IP68

1-WATT 12 VOLT LED WATERPROOF UNDERGROUND LIGHTING




BRASS



#KM011EW

Measures: $\phi 45 \times 70 \text{mm}$
Input Power: AC 12V
Working Power: 1 Watt
Waterproof Grade: IP68
Light Cable: VDE/H05RN-F (2x1.0mm²) 3M
LED Brand Name: Canyuan/ Purui
Color Temperature: Warm White (3000k)
Lumen: 45Lm (Warm White)
Beam Angle: 45°
Temperature Of Work Place: -15°C ~ +80°C
Life Span: 30000 Hours
LED Exchangeable Bulb: # KMA095SW



3-WATT 12 VOLT LED WATERPROOF UNDERGROUND LIGHTING



#KM0901W

Measures: $\phi 55 \times 70 \text{mm}$
Input Power: AC 12V
Working Power: 3 Watt
Waterproof Grade: IP68
Light Cable: VDE/H05RN-F (2x1.0mm²) 3M
LED Brand Name: Canyuan/ Purui
Color Temperature: Warm White (3000k)
Lumen: 100Lm (Warm White)
Beam Angle: 120°
Temperature Of Work Place: -15°C ~ +80°C
Life Span: 30000 Hours
LED Exchangeable Bulb: # KMA097SW




4-WATT 12 VOLT LED WATERPROOF UNDERGROUND LIGHTING



#K10001W

Measures: $\phi 80 \times 78 \text{mm}$
Input Power: AC 12V
Working Power: 4 Watt
Waterproof Grade: IP68
Light Cable: VDE/H05RN-F (2x1.0mm²) 3M
LED Brand Name: Canyuan/ Purui
Color Temperature: Warm White (3000k)
Lumen: 180Lm (Warm White)
Beam Angle: 120°
Temperature Of Work Place: -15°C ~ +80°C
Life Span: 30000 Hours
LED Exchangeable Bulb: # KMA094SW



4-WATT 12 VOLT LED WATERPROOF UNDERGROUND LIGHTING

NEW

K10001WP


Measures: $\phi 80 \times 80 \text{mm}$
Input Power: AC 12V
Working Power: 4 Watt
Waterproof Grade: IP68
Light Cable: VDE/H05RN-F (2x1.0mm²) 3M
LED Brand Name: Canyuan/ Purui
Color Temperature: Warm White (3000k)
Lumen: 180Lm (Warm White)
Beam Angle: 120°
Temperature Of Work Place: -15°C ~ +80°C
Life Span: 30000 Hours
LED Exchangeable Bulb: # KMA094SW

POLYPROPYLENE
Anti Corrosion
Acid Resistance
Alkali Resistance



12 VOLT OUTDOOR WATERPROOF LED LAWN LIGHTING

Outdoor LED lawn lamp can be widely used in outdoor places such as courtyard, garden, park and square and so on. You will be amazed at how board this light can be!



CE ROHS IP68

3-WATT 12 VOLT OUTDOOR WATERPROOF LED LAWN LIGHTING

- Replaceable light bulbs are available in white, red, blue, green, amber
- The outdoor LED lawn lamp material uses corrosion-resistant stainless steel, flame resistant polypropylene and aluminum
- Easily install LED using quick connect plugs, which are included
- Including solid stake, compact design allows the fixture to be tucked on the greensward




STAINLESS STEEL
KL0910W

Measures: $\phi 76 \times 300 \text{mm}$
Input Power: AC 12V
Working Power: 3 Watt
Waterproof Grade: IP68
Light Cable: VDE/H05RN-F (2x1.0mm²) 2.5M
LED Brand Name: Canyuan/ Purui
Color Temperature: Warm White (3000k)
Lumen: 80Lm (Warm White)
Beam Angle: 120°
Temperature Of Work Place: -15°C ~ +80°C
Life Span: 30000 Hours
LED Exchangeable Bulb: # KMA081SW

Waterproof Cord Assembled

The extension cable allows for simple extension of SUNLUX's lighting. Ideal for use with our manual 12 Volt transformers and can be chained together to attach additional fixtures.

- For use with KEMING's garden 12 volt LED lighting system
- No need to cut wires
- With a simple and quick connection, extension cord provides water tight seal



PHOTOCELL

Switches The Lights
On At Dusk And Off At Dawn



CE, RoHS, IP68, REACH

KT01

Input power: AC 12V
Waterproof Grade: IP68
Cable: VDE/H05RN-F, 2X1.0mm² / 1M
Power: AC 12V 60VA
Temperature of work place: -15°C ~ +60°C
Life span: 30000 hours

LED REMOTE CONTROLLER-RGB



KT05

Input power: AC 12V
Waterproof Grade: IP68
Cable: VDE/H05RN-F, 2X1.0mm² / 3M
Power: AC 12V 60VA
Temperature of work place: -15°C ~ +60°C
Life span: 30000 hours

1M 3-WAY SPLITTER

Provides A Simple Waterproof Tool-free
Connection From Transformer To 12 Volt Lighting




KS03

Waterproof Grade: IP68
Cable: VDE/H05RN-F, 2X1.0mm² / 1M
Temperature of work place: -15°C ~ +80°C

1M 3-WAY SPLITTER

Provides A Simple Waterproof Tool-free
Connection From Transformer To 12 Volt RGB Lighting



KS08

Waterproof Grade: IP68
Cable: VDE/H05RN-F, 4X0.75mm² / 0.8M
Temperature of work place: -15°C ~ +80°C

1M 6-WAY SPLITTER

Provides A Simple Waterproof Tool-free
Connection From Transformer To 12 Volt Lighting



KS05

Waterproof Grade: IP68
Cable: VDE/H05RN-F, 2X1.0mm² / 1M
Temperature of work place: -15°C ~ +80°C

5M EXTENSION CABLE

Allows For Simple Extension Of Lighting



KS12



Waterproof Grade: IP68
Cable: VDE/H05RN-F, 2X1.0mm² / 5M
Temperature of work place: -15°C ~ +80°C

12M EXTENSION CABLE QUICK-CONNECTS AT 5 INTERVALS

Provides A Simple Waterproof Tool-free
Connection From Transformer To 12 Volt Lighting

KS18









Waterproof Grade: IP68
Cable: VDE/H05RN-F, 2X1.0mm² / 12M
Temperature of work place: -15°C ~ +60°C



12 Volt LED Exchangeable Bulbs

12 volt LED exchangeable bulbs are
designed to be physically fit in fixtures.


- With scientific and humanized design, can be easily screw-in the SUNLUX's Lighting
- Bulbs are more efficient and offer long life
- Bulbs are available in warm white, white, red, blue, green, amber



TRANSFORMERS

Transformers provide an economical solution for
operating low voltage lighting fixtures.


- For use with Keming garden LED lighting system
- With a simple single quick-connect cable port, can be connected a light fixture
- Provides safe low-voltage power to the lighting system



MANUAL QUICK-CONNECT
12 VOLT TRANSFORMERS


Picture	Item NO	Input	Output	Wattage	IP Grade	Standard
	K12	230V 50Hz	12V/12W 50Hz	12W	IP67	BS
	K22	230V 50Hz	12V/21W 50Hz	21W	IP67	BS
	K30	230V 50Hz	12V/30W 50Hz	30W	IP67	BS
	K45	230V 50Hz	12V/45W 50Hz	45W	IP67	BS
	K60	230V 50Hz	12V/60W 50Hz	60W	IP67	BS

ASSEMBLY DIAGRAM




Adjustable Angle

Item No.	Item Name
KM0907W	1-WATT 12 VOLT LED WATERPROOF SPOTLIGHT
KM0909W	4-WATT 12 VOLT LED WATERPROOF SPOTLIGHT
KM011W	1-WATT 12 VOLT LED WATERPROOF SPOTLIGHT
KM0904WB	3-WATT 12 VOLT LED WATERPROOF SPOTLIGHT
KM0903WB	4-WATT 12 VOLT LED WATERPROOF SPOTLIGHT
K10002ER-RGB	3-WATT 12 VOLT AUTO-CHANGING COLOR WATERPROOF LED LIGHTING
KM011WB-3	1-WATT POND AND LANDSCAPE LED LIGHT KIT
KM0904WB-3	3-WATT POND AND LANDSCAPE LED LIGHT KIT
KM0907W-3	1-WATT POND AND LANDSCAPE LED LIGHT KIT
KM0909W-3	4-WATT POND AND LANDSCAPE LED LIGHT KIT



Adjustable Angle

Item No.	Item Name
KM0921W	3-WATT 12 VOLT LED WATERPROOF SPOTLIGHT
KM031WB	3-WATT 12 VOLT LED WATERPROOF SPOTLIGHT
KM0921W-3	3-WATT POND AND LANDSCAPE LED LIGHT KIT



Adjustable Angle

Item No.	Item Name
KM031EB	6-WATT 12 VOLT LED WATERPROOF SPOTLIGHT
K1202WB	10-WATT 12 VOLT LED WATERPROOF SPOTLIGHT
K1201WB	14-WATT 12 VOLT LED WATERPROOF SPOTLIGHT
K10004EB-RGB	9-WATT 12 VOLT AUTO-CHANGING COLOR WATERPROOF LED LIGHTING
K10005ER-RGB	18-WATT 12 VOLT AUTO-CHANGING COLOR WATERPROOF LED LIGHTING
K1203B-RGB	9-WATT 12 VOLT REMOTE CONTROLLER WATERPROOF LED LIGHTINGS
K1206B-RGB	18-WATT 12 VOLT REMOTE CONTROLLER WATERPROOF LED LIGHTINGS

ASSEMBLY DIAGRAM

