



No Lesen : PE031202

Licence No :

LESEN PENSIJILAN BARANGAN *Product Certification Licence*



**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
*SIRIM QAS International Sdn. Bhd. hereby grants to***

**E & E ENTERPRISE SDN. BHD.
NO 38 JALAN PUTERI 5/16,
BANDAR PUTERI
47100 PUCHONG
SELANGOR, MALAYSIA**



**Lesen untuk menggunakan Tanda Pensijilan di atas barangan
*a licence to use the Certification Mark on***

RESIDUAL CURRENT OPERATED CIRCUIT-BREAKERS (RCCBs)

Please refer to detail in the SCHEDULE



**sebagai mematuhi keperluan
*as complying with***

**MS IEC 61008-1 : 2012
MS IEC 61008-2-1 : 2003**

Ts. Md. Adha bin Katni @ Rahmat
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SIRIM QAS International Sdn. Bhd.
((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

www.sirim-qas.com.my
https://www.malaysiancertified.com.my

Tarikh Mula Pensijilan : 21 January 2011

Certified Since

Sah Sehingga : 21 January 2027

Valid Until

Tarikh Dikeluarkan : 10 March 2026

Issue Date

No Siri : 124502

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

E & E ENTERPRISE SDN. BHD.



Trade Mark : Kozuka
Model : K1s, 3P+N
Rating : 415V, 40A, 0.03A/0.100A, 6000A
Type : TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : K1s, 1P+N
Rating : 240V, 16A, 0.03A/0.100A, 6000A
Type : TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : K1s, 1P+N
Rating : 240V, 25A, 0.03A/0.100A, 6000A
Type : TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : K1s, 1P+N
Rating : 240V, 32A, 0.03A/0.100A, 6000A
Type : TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : K1s, 1P+N
Rating : 240V, 40A, 0.03A/0.100A, 6000A
Type : TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

SCHEDULE

E & E ENTERPRISE SDN. BHD.



Trade Mark : Kozuka
Model : K1s, 1P+N
Rating : 240V, 63A, 0.03A/0.100A, 6000A
Type : TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : K1s, 3P+N
Rating : 415V, 16A, 0.03A/0.100A, 6000A
Type : TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : K1s, 3P+N
Rating : 415V, 25A, 0.03A/0.100A, 6000A
Type : TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : K1s, 3P+N
Rating : 415V, 32A, 0.03A/0.100A, 6000A
Type : TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : K1s, 3P+N
Rating : 415V, 63A, 0.03A/0.100A, 6000A
Type : TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

SCHEDULE

E & E ENTERPRISE SDN. BHD.



Trade Mark : Kozuka
Model : K1s, 1P+N
Rating : 240V, 16A, 0.01A, 6000A
Type : TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : K1s, 1P+N
Rating : 240V, 25A, 0.01A, 6000A
Type : TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : MS8L216E
Rating : 240V, 50/60Hz, (16A/100mA)
Type : 1P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : MS8L240D
Rating : 240V, 50/60Hz, (40A/30mA)
Type : 1P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : MS8L263E
Rating : 240V, 50/60Hz, (63A/100mA)
Type : 1P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

SCHEDULE

E & E ENTERPRISE SDN. BHD.



Trade Mark : Kozuka
Model : MS8L240E
Rating : 240V, 50/60Hz, (40A/100mA)
Type : 1P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : MS8L225E
Rating : 240V, 50/60Hz, (25A/100mA)
Type : 1P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : MS8L225C
Rating : 240V, 50/60Hz, (25A/10mA)
Type : 1P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : MS8L263D
Rating : 240V, 50/60Hz, (63A/30mA)
Type : 1P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : MS8L216D
Rating : 240V, 50/60Hz, (16A/30mA)
Type : 1P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

SCHEDULE

E & E ENTERPRISE SDN. BHD.



Trade Mark : Kozuka
Model : MS8L225D
Rating : 240V, 50/60Hz, (25A/30mA)
Type : 1P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : MS8L216C
Rating : 240V, 50/60Hz, (16A/10mA)
Type : 1P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : MS8L440D
Rating : 240/415V, 50/60Hz, (40A/30mA)
Type : 3P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : MS8L463D
Rating : 240/415V, 50/60Hz, (63A/30mA)
Type : 3P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : MS8L440E
Rating : 240/415V, 50/60Hz, (40A/100mA)
Type : 3P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

SCHEDULE

E & E ENTERPRISE SDN. BHD.



Trade Mark : Kozuka
Model : MS8L425E
Rating : 240/415V, 50/60Hz, (25A/100mA)
Type : 3P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : MS8L463E
Rating : 240/415V, 50/60Hz, (63A/100mA)
Type : 3P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : MS8L425D
Rating : 240/415V, 50/60Hz, (25A/30mA)
Type : 3P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : kozuka
Model : MS8L663D
Rating : 240V 50/60Hz, (63A/30mA)
Type : 1P+N, TYPE A
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : kozuka
Model : MS8L640E
Rating : 240V 50/60Hz, (40A/100mA)
Type : 1P+N, TYPE A
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

SCHEDULE

E & E ENTERPRISE SDN. BHD.



Trade Mark : Kozuka
Model : MS8L663E
Rating : 240V, 50/60Hz (63A/100mA)
Type : 1P+N, TYPE A
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : MS8L840D
Rating : 415V, 50/60Hz (40A/30mA)
Type : 3P+N, TYPE A
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : MS8L863D
Rating : 415V, 50/60Hz (63A/30mA)
Type : 3P+N, TYPE A
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : MS8L840E
Rating : 415V, 50/60Hz (40A/100mA)
Type : 3P+N, TYPE A
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : MS8L863E
Rating : 415V, 50/60Hz (63A/100mA)
Type : 3P+N, TYPE A
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

SCHEDULE

E & E ENTERPRISE SDN. BHD.



Trade Mark : Kozuka
Model : MS8L640D
Rating : 240V, 50/60Hz (40A/30mA)
Type : 1P+N, TYPE A
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : K1s, 3P+N
Rating : 415V, 40A, 0.03A/0.100A, 6000A
Type : TYPE AC
Tested Standard: IEC61008-1:2007, IEC 61009-2-1: 2003



Trade Mark : Kozuka
Model : K1s, 1P+N
Rating : 240V, 16A, 0.03A/0.100A, 6000A
Type : TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : K1s, 1P+N
Rating : 240V, 25A, 0.03A/0.100A, 6000A
Type : TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : K1s, 1P+N
Rating : 240V, 32A, 0.03A/0.100A, 6000A
Type : TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : K1s, 1P+N
Rating : 240V, 40A, 0.03A/0.100A, 6000A
Type : TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

SIRIM QAS International Sdn. Bhd.
((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

www.sirim-qas.com.my
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 21 January 2011

Certified Since

Sah Sehingga : 21 January 2027

Valid Until

Tarikh Dikeluarkan : 10 March 2026

Issue Date

No Siri : 124502

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

E & E ENTERPRISE SDN. BHD.



Trade Mark : Kozuka
Model : K1s, 1P+N
Rating : 240V, 63A, 0.03A/0.100A, 6000A
Type : TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : K1s, 3P+N
Rating : 415V, 16A, 0.03A/0.100A, 6000A
Type : TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : K1s, 3P+N
Rating : 415V, 25A, 0.03A/0.100A, 6000A
Type : TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : K1s, 3P+N
Rating : 415V, 32A, 0.03A/0.100A, 6000A
Type : TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : K1s, 3P+N
Rating : 415V, 63A, 0.03A/0.100A, 6000A
Type : TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

SCHEDULE

E & E ENTERPRISE SDN. BHD.



Trade Mark : Kozuka
Model : K1s, 1P+N
Rating : 240V, 16A, 0.01A, 6000A
Type : TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : K1s, 1P+N
Rating : 240V, 25A, 0.01A, 6000A
Type : TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : MS8L216E
Rating : 240V, 50/60Hz, (16A/100mA)
Type : 1P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : MS8L240D
Rating : 240V, 50/60Hz, (40A/30mA)
Type : 1P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : MS8L263E
Rating : 240V, 50/60Hz, (63A/100mA)
Type : 1P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

SCHEDULE

E & E ENTERPRISE SDN. BHD.



Trade Mark : Kozuka
Model : MS8L240E
Rating : 240V, 50/60Hz, (40A/100mA)
Type : 1P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : MS8L225E
Rating : 240V, 50/60Hz, (25A/100mA)
Type : 1P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : MS8L225C
Rating : 240V, 50/60Hz, (25A/10mA)
Type : 1P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : MS8L263D
Rating : 240V, 50/60Hz, (63A/30mA)
Type : 1P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : MS8L216D
Rating : 240V, 50/60Hz, (16A/30mA)
Type : 1P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

SCHEDULE

E & E ENTERPRISE SDN. BHD.



Trade Mark : Kozuka
Model : MS8L225D
Rating : 240V, 50/60Hz, (25A/30mA)
Type : 1P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : MS8L216C
Rating : 240V, 50/60Hz, (16A/10mA)
Type : 1P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : MS8L440D
Rating : 240/415V, 50/60Hz, (40A/30mA)
Type : 3P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : MS8L463D
Rating : 240/415V, 50/60Hz, (63A/30mA)
Type : 3P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : MS8L440E
Rating : 240/415V, 50/60Hz, (40A/100mA)
Type : 3P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

SCHEDULE

E & E ENTERPRISE SDN. BHD.



Trade Mark : Kozuka
Model : MS8L425E
Rating : 240/415V, 50/60Hz, (25A/100mA)
Type : 3P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : MS8L463E
Rating : 240/415V, 50/60Hz, (63A/100mA)
Type : 3P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : MS8L425D
Rating : 240/415V, 50/60Hz, (25A/30mA)
Type : 3P+N, TYPE AC
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : kozuka
Model : MS8L663D
Rating : 240V 50/60Hz, (63A/30mA)
Type : 1P+N, TYPE A
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : kozuka
Model : MS8L640E
Rating : 240V 50/60Hz, (40A/100mA)
Type : 1P+N, TYPE A
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

SCHEDULE

E & E ENTERPRISE SDN. BHD.



Trade Mark : Kozuka
Model : MS8L663E
Rating : 240V, 50/60Hz (63A/100mA)
Type : 1P+N, TYPE A
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : MS8L840D
Rating : 415V, 50/60Hz (40A/30mA)
Type : 3P+N, TYPE A
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)



Trade Mark : Kozuka
Model : MS8L863D
Rating : 415V, 50/60Hz (63A/30mA)
Type : 3P+N, TYPE A
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : MS8L840E
Rating : 415V, 50/60Hz (40A/100mA)
Type : 3P+N, TYPE A
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : MS8L863E
Rating : 415V, 50/60Hz (63A/100mA)
Type : 3P+N, TYPE A
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

Trade Mark : Kozuka
Model : MS8L640D
Rating : 240V, 50/60Hz (40A/30mA)
Type : 1P+N, TYPE A
Product tested according to standard IEC 61008-1: 2010 (ED.3) + A1: 2012 + A2: 2013, IEC 61008-2-1: 1990 (ED.1)

SIRIM QAS International Sdn. Bhd.
((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

www.sirim-qas.com.my
https://www.malaysiancertified.com.my

Tarikh Mula Pensijilan : 21 January 2011

Certified Since

Sah Sehingga : 21 January 2027

Valid Until

Tarikh Dikeluarkan : 10 March 2026

Issue Date

No Siri : 124502

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

E & E ENTERPRISE SDN. BHD.



SIRIM

End of page



ACB 001



SIRIM QAS International Sdn. Bhd.
((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

www.sirim-qas.com.my
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 21 January 2011

Certified Since

Sah Sehingga : 21 January 2027

Valid Until

Tarikh Dikeluarkan : 10 March 2026

Issue Date

No Siri : 124502

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.